



## Vibrabsorber + Sylomer

TYPE	A	B	C	D	E	F	CODE
4 AMC 600+Sylomer®	200	136	M - 16	150	12	170	20671
4 AMC 800+Sylomer®	200	136	M - 16	150	12	170	20672
4 AMC 1000+Sylomer®	200	136	M - 16	150	12	170	20673
4 AMC 1400+Sylomer®	200	136	M - 16	150	12	170	20674
4 AMC 2000+Sylomer®	250	136	M - 20	200	14	210	20675
4 AMC 3000+Sylomer®	250	136	M - 20	200	14	210	20676




## Vibrabsorber


TYPE	A	B	C	D	E	F	CODE
4 AMC 600	200	124	M - 16	150	12	170	20601
4 AMC 800	200	124	M - 16	150	12	170	20611
4 AMC 1000	200	124	M - 16	150	12	170	20621
4 AMC 1400	200	124	M - 16	150	12	170	20631
4 AMC 2000	250	124	M - 20	200	14	210	20641
4 AMC 3000	250	124	M - 20	200	14	210	20651



AMC Dynamic Natural Frequency range  
MECANOCAUCHO Type 4 AMC



AMC LOAD DEFORMATION  
MECANOCAUCHO Type 4 AMC



To find out about the advantages of Sylomer in the vibrabsorber® system, go to pages 14,15,16